RECEIVED CENTRAL FAX CENTER

FEB 2 1 2007

AMENDMENT UNDER 37 C.F.R. 1.116
EXPEDITED PROCEDURE
EXAMINING GROUP 2178
PATENT

Application # 10/664,754 Attorney Docket # 2002P15652US01 (1009-039)

AMENDMENTS

BEST AVAILABLE COPY

AMENDMENTS TO THE CLAIMS

1. (Previously Presented) A method for representing HMI user screens comprising the activities of:

via an information device:

obtaining an organization and a hierarchy of a collection comprising a plurality of HMI screen nodes;

automatically determining an arrangement of the collection;

responsive to a detected collision between a parent node of said hierarchy of said collection and another node, automatically adjusting a position of said parent node; and rendering the collection according to the arrangement.

- 2. (Original) The method of claim 1, further comprising calculating a position of a leaf.
- 3. (Original) The method of claim 1, further comprising calculating a position of a visible leaf.
- 4. (Currently Amended) The method of claim 1, further comprising calculating a the position of a the parent.
- 5. (Currently Amended) The method of claim 1, further comprising detecting a-the collision.
- 6. (Currently Amended) The method of claim 1, further comprising updating a the position of a the parent.

To: Central FAX USPTO @ 571-273-8300 From: Mike Haynes

Pg 4/10 02/21/07 1:48 pm BEST AVAILABLE COPY

AMENDMENT UNDER 37 C.F.R. 1.116 EXPEDITED PROCEDURE **EXAMINING GROUP 2178 PATENT** Application # 10/664,754 Attorney Docket # 2002P15652US01 (1009-039)

- 7. (Currently Amended) The method of claim 1, further comprising updating a-the position of a-the parent upon detecting a-the collision.
- (Original) The method of claim 1, further comprising recursively calculating a position of 8. each of the plurality of HMI screen nodes.
- 9. (Currently Amended) The method of claim 1, further comprising recursively calculating a position of each of the plurality of HMI screen nodes and updating a-the position of a-the parent upon detecting a-the collision.
- 10. (Previously Presented) The method of claim 1, further comprising changing a visibility of a node.
- 11. (Previously Presented) The method of claim 1, further comprising changing a visibility of a node and children of the node.
- 12. (Original) The method of claim 1, wherein the arrangement is a tree arrangement.
- 13. (Original) The method of claim 1, wherein the arrangement is a vertical tree arrangement.
- 14. (Original) The method of claim 1, wherein the arrangement is a horizontal tree arrangement.
- 15. (Original) The method of claim 1, wherein the arrangement is rendered with equal intergenerational node spacing.
- 16. (Original) The method of claim 1, wherein the arrangement is rendered with equal intragenerational node spacing.

AMENDMENT UNDER 37 C.F.R. 1.116
EXPEDITED PROCEDURE
EXAMINING GROUP 2178
PATENT
Application # 10/664,754
Attorney Docket # 2002P15652US01 (1009-039)

- 17. (Original) The method of claim 1, wherein the arrangement is rendered with each parent aligned centrally to all children of that parent.
- 18. (Original) The method of claim 1, wherein the arrangement is rendered with all nuclear children separated equally.
- 19. (Previously Presented) A machine-readable medium containing instructions for activities comprising:

obtaining an organization and a hierarchy of a collection comprising a plurality of HMI screen nodes;

determining an arrangement of the collection;

responsive to a detected collision between a parent node of said hierarchy of said collection and another node, automatically adjusting a position of said parent node; and rendering the collection according to the arrangement.

20. (Previously Presented) A device for providing a representation of user screens for an HMI comprising:

means for obtaining an organization and a hierarchy of a collection comprising a plurality of HMI screen nodes;

means for determining an arrangement of the collection;

a processor adapted to, responsive to a detected collision between a parent node of said hierarchy of said collection and another node, automatically adjust a position of said parent node; and

means for rendering the collection according to the arrangement.